



ایرات نوتریکا
IRANNOTRIKA

لیست قیمت سویچ کیو پلاس

(نیمه دوم مهر ماه)

QPLUS

Model	Product Specification	Price
1 PL-P4002 	• POE RJ45 Port: 4*10/100Mbps • Uplink Port: 2*10/100Mbps • Bandwidth: 1.2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 65W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	7.650.000 T
2 PL-PH4002 	• POE RJ45 Port: 4*10/100Mbps • BT Port *1 90W • Uplink Port: 2*10/100Mbps • Bandwidth: 1.2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	10.160.000 T
3 PL-P8002 	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*10/100Mbps • Bandwidth: 2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	10.190.000 T
4 PL-P8002G 	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	12.860.000 T
5 PL-P8002G-S1 	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*1000Mbps • SFP : 1*1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	13.680.000 T اتمام موجودی
6 PL-PG8002-S2 	• POE RJ45 Port: 8*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 24Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	18.440.000 T
7 PL-PGA8002-S2 	• POE RJ45 Port: 8*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000/2500Mbps • Bandwidth: 24Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • Function : Vlan / POE+ / AI Watchdog / 2.5G SFP • POE Power Usage Indicator • Metal case 	20.300.000 T
8 PL-PH8002 	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100Mbps • Bandwidth: 2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case 	14.260.000 T

Model	Product Specification	Price
9 NEW PRODUCT PL-PH8002G	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100/1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case Hybrid	16.310.000 T
10 NEW PRODUCT PL-PH8002G-S1	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 7.6Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case Hybrid	16.980.000 T
11 PL-P1602G-S1	• POE RJ45 Port: 16*10/100Mbps • Uplink Port: 2*1000Mbps • SFP: 1*1000Mbps • Bandwidth : 9.2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	31.160.000 T
12 PL-PG1602-S1	• POE RJ45 Port: 16*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 38Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	35.880.000 T
13 NEW PRODUCT PL-PH1602G-S1	• POE RJ45 Port: 16*10/100Mbps • BT Port *4 - AF/AT *12 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 9.2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case Hybrid	36.680.000 T
14 NEW PRODUCT PL-PGH1602-S1	• POE RJ45 Port: 16*10/100/1000Mbps • BT Port *4 - AF/AT *12 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 38Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case Hybrid	43.470.000 T
15 PL-P2402G-S2	• POE RJ45 Port: 24*10/100Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 12.8Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	44.560.000 T
16 PL-PG2402-S2	• POE RJ45 Port: 24*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 56Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U Standard rack • Metal case	62.300.000 T

Model	Ethernet Switch	Price
17 PL-AS5000	• RJ45 Port:5*10/100Mbps(Auto MDI/MDIX) • Bandwidth:1Gbps Full-Duplex • Distance : 0-100Meters • MAC Address:2K • Agreement:IEEE802.3u,IEE 802.3x • External power adapter : DC Out : 5V 1A • Plastic case 	2.350.000 T
18 PL-SG5000	• RJ45 Port:5*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:10Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEE 802.3x • External power adapter : DC Out : 5V 1A • Metal case 	3.570.000 T
19 PL-AS8000	• RJ45 Port:8*10/100Mbps(Auto MDI/MDIX) • Bandwidth:1.6Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEE 802.3x • External power adapter : DC Out : 5V 1A • Plastic case 	2.900.000 T
20 PL-SG8000	• RJ45 Port:8*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:16Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEE 802.3x • External power adapter : DC Out : 5V 1A • Metal case 	5.780.000 T
21 PL-S1600	• RJ45 Port:16*10/100Mbps (Auto MDI/MDIX) • Bandwidth:3.2Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEE 802.3x • AC In: 100V-240V 50HZ • Metal case 	11.220.000 T
22 PL-SG1600	• RJ45 Port:16*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:32Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEE 802.3x • AC In: 100V-240V 50HZ • Metal case 	20.220.000 T

Model	Product Specification	Price
23 PL-PS101	- Active PoE Splitter 48V isolation type - Support : IEEE802.3 af - LINK: 100Mbps - POWER OUT :12V 1.2A	 1.120.000 T
24 PL-PS1202	- Passive POE - Injector & Splitter - Support : 12V - Distance : 30-40 Meter	 680.000 T
25 PL-PS102W	- POE T Multiplexer Splitter - Support : IEEE802.3AT/AF - Wiring Scheme : 12+,36- - Link : 100Mbps - Waterproof	 980.000 T
26 PL-SB456	- Connector type : RJ45 - Cable type : Ethernet - Compatible : Personal Computer devices - Special feature : High Speed - Box : 100 Pcs	 2.050.000 T
27 PL-SO456	- Connector type : RJ45 Open end - Cable type : Ethernet - Compatible : Personal Computer devices - Special feature : High Speed - Box : 100 Pcs	 2.200.000 T
28 PL-7088	- Rj45-Rj11 - Cat5/5E/6/7 - Pass through / Open end - Cutter Blade - Rj45 Perforation	 4.700.000 T اتمام موجودی