



ایرات نوتریکا  
IRANNOTRIKA

لیست قیمت سویچ  
کیو پلاس

(اردیبهشت ۱۴۰۵)

QPLUS

Model	Product Specification	Price
<b>1 PL-P4002</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:4*10/100Mbps</li> <li>• Uplink Port:2*10/100Mbps</li> <li>• Bandwidth:1.2Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 65W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 6.070.000 T
<b>2 PL-PH4002</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:4*10/100Mbps</li> <li>• BT Port *1 90W</li> <li>• Uplink Port:2*10/100Mbps</li> <li>• Bandwidth:1.2Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 120W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT/BT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 8.060.000 T
<b>3 PL-P8002</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100Mbps</li> <li>• Uplink Port:2*10/100Mbps</li> <li>• Bandwidth:2Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 120W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 8.049.000 T
<b>4 PL-P8002G</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100Mbps</li> <li>• Uplink Port:2*1000Mbps</li> <li>• Bandwidth:5.6Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 120W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 10.180.000 T
<b>5 PL-P8002G-S1</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100Mbps</li> <li>• Uplink Port:2*1000Mbps</li> <li>• SFP : 1*1000Mbps</li> <li>• Bandwidth:5.6Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 120W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 10.818.000 T
<b>6 PL-PG8002-S2</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100/1000Mbps</li> <li>• Uplink Port:2*10/100/1000Mbps</li> <li>• SFP:2*1000Mbps</li> <li>• Bandwidth:24Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 150W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 14.575.000 T
<b>7 PL-PGA8002-S2</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100/1000Mbps</li> <li>• Uplink Port:2*10/100/1000Mbps</li> <li>• SFP:2*1000/2500Mbps</li> <li>• Bandwidth:24Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 150W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT</li> <li>• Extend:Yes Distance:250M</li> <li>• Function : Vlan / POE+ / AI Watchdog / 2.5G SFP</li> <li>• POE Power Usage Indicator</li> <li>• Metal case</li> </ul>	 16.063.000 T
<b>8 PL-PH8002</b> 	<ul style="list-style-type: none"> <li>• POE RJ45 Port:8*10/100Mbps</li> <li>• BT Port *2 - AF/AT *6</li> <li>• Uplink Port:2*10/100Mbps</li> <li>• Bandwidth:2Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 150W - 52V</li> <li>• Agreement:IEEE802.3 AF/AT/BT</li> <li>• Extend:Yes Distance:250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	 11.283.000 T

Model	Product Specification	Price
<p><b>NEW PRODUCT</b></p> <p>9 <b>PL-PH8002G</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 8*10/100Mbps</li> <li>• BT Port *2 - AF/AT *6</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• Bandwidth: 5.6Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 150W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT/BT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	<p><b>Hybrid</b></p> <p>12.894.000 T</p>
<p><b>NEW PRODUCT</b></p> <p>10 <b>PL-PH8002G-S1</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 8*10/100Mbps</li> <li>• BT Port *2 - AF/AT *6</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 1*1000Mbps</li> <li>• Bandwidth: 7.6Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 150W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT/BT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Metal case</li> </ul>	<p><b>Hybrid</b></p> <p>13.432.000 T</p>
<p>11 <b>PL-P1602G-S1</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 16*10/100Mbps</li> <li>• Uplink Port: 2*1000Mbps</li> <li>• SFP: 1*1000Mbps</li> <li>• Bandwidth : 9.2Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U standard rack</li> <li>• Metal case</li> </ul>	<p>24.643.000 T</p>
<p>12 <b>PL-PG1602-S1</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 16*10/100/1000Mbps</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 1*1000Mbps</li> <li>• Bandwidth: 38Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U standard rack</li> <li>• Metal case</li> </ul>	<p>28.394.000 T</p>
<p><b>NEW PRODUCT</b></p> <p>13 <b>PL-PH1602G-S1</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 16*10/100Mbps</li> <li>• BT Port *4 - AF/AT *12</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 1*1000Mbps</li> <li>• Bandwidth: 9.2Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT/BT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U standard rack</li> <li>• Metal case</li> </ul>	<p><b>Hybrid</b></p> <p>29.013.000 T</p>
<p><b>NEW PRODUCT</b></p> <p>14 <b>PL-PGH1602-S1</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 16*10/100/1000Mbps</li> <li>• BT Port *4 - AF/AT *12</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 1*1000Mbps</li> <li>• Bandwidth: 38Gbps Full-Duplex</li> <li>• BT Port : 90W - AF/AT Port : 30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT/BT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U standard rack</li> <li>• Metal case</li> </ul>	<p><b>Hybrid</b></p> <p>34.375.000 T</p>
<p>15 <b>PL-P2402G-S2</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 24*10/100Mbps</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 2*1000Mbps</li> <li>• Bandwidth: 12.8Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U standard rack</li> <li>• Metal case</li> </ul>	<p>35.233.000 T</p>
<p>16 <b>PL-PG2402-S2</b></p>	<ul style="list-style-type: none"> <li>• POE RJ45 Port: 24*10/100/1000Mbps</li> <li>• Uplink Port: 2*10/100/1000Mbps</li> <li>• SFP: 2*1000Mbps</li> <li>• Bandwidth: 56Gbps Full-Duplex</li> <li>• AF/AT Port : 15W/30W</li> <li>• Power : 300W - 52V</li> <li>• Agreement: IEEE802.3 AF/AT</li> <li>• Extend: Yes Distance: 250M</li> <li>• WatchDog : Yes</li> <li>• Installation support: 1U Standard rack</li> <li>• Metal case</li> </ul>	<p>49.247.000 T</p>

Model	Ethernet Switch	Price
17 <b>PL-AS5000</b>	<ul style="list-style-type: none"> <li>• RJ45 Port:5*10/100Mbps(Auto MDI/MDIX)</li> <li>• Bandwidth:1Gbps Full-Duplex</li> <li>• Distance : 0-100Meters</li> <li>• MAC Address:2K</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• External power adapter : DC Out : 5V 1A</li> <li>• Plastic case</li> </ul> 	1.828.000 T
18 <b>PL-SG5000</b>	<ul style="list-style-type: none"> <li>• RJ45 Port:5*10/100/1000Mbps(Auto MDI/MDIX)</li> <li>• Bandwidth:10Gbps Full-Duplex</li> <li>• MAC Address:2K</li> <li>• Distance:0-100Meters</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• External power adapter : DC Out : 5V 1A</li> <li>• Metal case</li> </ul> 	2.970.000 T
19 <b>PL-AS8000</b>	<ul style="list-style-type: none"> <li>• RJ45 Port:8*10/100Mbps(Auto MDI/MDIX)</li> <li>• Bandwidth:1.6Gbps Full-Duplex</li> <li>• MAC Address:2K</li> <li>• Distance:0-100Meters</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• External power adapter : DC Out : 5V 1A</li> <li>• Plastic case</li> </ul> 	2.297.000 T
20 <b>PL-SG8000</b>	<ul style="list-style-type: none"> <li>• RJ45 Port:8*10/100/1000Mbps(Auto MDI/MDIX)</li> <li>• Bandwidth:16Gbps Full-Duplex</li> <li>• MAC Address:2K</li> <li>• Distance:0-100Meters</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• External power adapter : DC Out : 5V 1A</li> <li>• Metal case</li> </ul> 	4.772.000 T
21 <b>PL-S1600</b>	<p><b>NEW PRODUCT</b></p> <ul style="list-style-type: none"> <li>• RJ45 Port:16*10/100Mbps (Auto MDI/MDIX)</li> <li>• Bandwidth:3.2Gbps Full-Duplex</li> <li>• MAC Address:2K</li> <li>• Distance:0-100Meters</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• AC In: 100V-240V 50HZ</li> <li>• Metal case</li> </ul> 	9.268.000 T
22 <b>PL-SG1600</b>	<p><b>NEW PRODUCT</b></p> <ul style="list-style-type: none"> <li>• RJ45 Port:16*10/100/1000Mbps(Auto MDI/MDIX)</li> <li>• Bandwidth:32Gbps Full-Duplex</li> <li>• MAC Address:2K</li> <li>• Distance:0-100Meters</li> <li>• Agreement:IEEE802.3u,IEE 802.3x</li> <li>• AC In: 100V-240V 50HZ</li> <li>• Metal case</li> </ul> 	15.985.000 T

Model	Product Specification		Price
23 PL-PS101	<ul style="list-style-type: none"> <li>Active PoE Splitter</li> <li>48V isolation type</li> <li>Support : IEEE802.3 af</li> <li>LINK: 100Mbps</li> <li>POWER OUT :12V 1.2A</li> </ul>		839.000 T
24 PL-PS1202	<ul style="list-style-type: none"> <li>Passive POE</li> <li>Injector &amp; Splitter</li> <li>Support : 12V</li> <li>Distance : 30-40 Meter</li> </ul>		512.000 T
25 PL-PS102W	<ul style="list-style-type: none"> <li>POE T Multiplexer Splitter</li> <li>Support : IEEE802.3AT/AF</li> <li>Wiring Scheme : 12+,36-</li> <li>Link : 100Mbps</li> <li>Waterproof</li> </ul>		705.000 T
26 PL-SB456	<ul style="list-style-type: none"> <li>Connector type : RJ45</li> <li>Cable type : Ethernet</li> <li>Compatible : Personal Computer devices</li> <li>Special feature : High Speed</li> <li>Box : 100 Pcs</li> </ul>		1.465.000 T
27 PL-SO456	<ul style="list-style-type: none"> <li>Connector type : RJ45 Open end</li> <li>Cable type : Ethernet</li> <li>Compatible : Personal Computer devices</li> <li>Special feature : High Speed</li> <li>Box : 100 Pcs</li> </ul>		1.588.000 T
28 PL-7088	<ul style="list-style-type: none"> <li>Rj45-Rj11</li> <li>Cat5/5E/6/7</li> <li>Pass through / Open end</li> <li>Cutter Blade</li> <li>Rj45 Perforation</li> </ul>		3.727.000 T اتمام موجودی