



ایرات نوتریکا
IRANNOTRIKA

لیست قیمت سویچ کیو پلاس

(مرداد ماه ۱۴۰۵)

QPLUS

☎ 021 66712000

📷 irannotrika

✈ CCTVnotrika

🌐 www.irannotrika.com



Model	Product Specification	Price
1 PL-P4002   	• POE RJ45 Port: 4*10/100Mbps • Uplink Port: 2*10/100Mbps • Bandwidth: 1.2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 65W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	6.070.000 T
2 PL-PH4002     	• POE RJ45 Port: 4*10/100Mbps • BT Port *1 90W • Uplink Port: 2*10/100Mbps • Bandwidth: 1.2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	8.060.000 T
3 PL-P8002   	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*10/100Mbps • Bandwidth: 2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	8.049.000 T
4 PL-P8002G   	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	10.180.000 T
5 PL-P8002G-S1   	• POE RJ45 Port: 8*10/100Mbps • Uplink Port: 2*1000Mbps • SFP : 1*1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 120W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	10.818.000 T
6 PL-PG8002-S2    	• POE RJ45 Port: 8*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 24Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	14.575.000 T
7 PL-PGA8002-S2     	• POE RJ45 Port: 8*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000/2500Mbps • Bandwidth: 24Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • Function : Vlan / POE+ / AI Watchdog / 2.5G SFP • POE Power Usage Indicator • Metal case	16.063.000 T
8 PL-PH8002     	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100Mbps • Bandwidth: 2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	11.283.000 T

Model	Product Specification	Price
NEW PRODUCT 9 PL-PH8002G 	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100/1000Mbps • Bandwidth: 5.6Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	Hybrid 12.894.000 T
NEW PRODUCT 10 PL-PH8002G-S1 	• POE RJ45 Port: 8*10/100Mbps • BT Port *2 - AF/AT *6 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 7.6Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 150W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Metal case	Hybrid 13.432.000 T
11 PL-P1602G-S1 	• POE RJ45 Port: 16*10/100Mbps • Uplink Port: 2*1000Mbps • SFP: 1*1000Mbps • Bandwidth : 9.2Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	 24.643.000 T
12 PL-PG1602-S1 	• POE RJ45 Port: 16*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 38Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	 28.394.000 T
NEW PRODUCT 13 PL-PH1602G-S1 	• POE RJ45 Port: 16*10/100Mbps • BT Port *4 - AF/AT *12 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 9.2Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	Hybrid 29.013.000 T
NEW PRODUCT 14 PL-PGH1602-S1 	• POE RJ45 Port: 16*10/100/1000Mbps • BT Port *4 - AF/AT *12 • Uplink Port: 2*10/100/1000Mbps • SFP: 1*1000Mbps • Bandwidth: 38Gbps Full-Duplex • BT Port : 90W - AF/AT Port : 30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT/BT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	Hybrid 34.375.000 T
15 PL-P2402G-S2 	• POE RJ45 Port: 24*10/100Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 12.8Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U standard rack • Metal case	 35.233.000 T
16 PL-PG2402-S2 	• POE RJ45 Port: 24*10/100/1000Mbps • Uplink Port: 2*10/100/1000Mbps • SFP: 2*1000Mbps • Bandwidth: 56Gbps Full-Duplex • AF/AT Port : 15W/30W • Power : 300W - 52V • Agreement: IEEE802.3 AF/AT • Extend: Yes Distance: 250M • WatchDog : Yes • Installation support: 1U Standard rack • Metal case	 49.247.000 T

	Model	Ethernet Switch	Price
17	PL-AS5000	• RJ45 Port:5*10/100Mbps(Auto MDI/MDIX) • Bandwidth:1Gbps Full-Duplex • Distance : 0-100Meters • MAC Address:2K • Agreement:IEEE802.3u,IEEE 802.3x • External power adapter : DC Out : 5V 1A • Plastic case 	1.828.000 T
18	PL-SG5000	• RJ45 Port:5*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:10Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEEE 802.3x • External power adapter : DC Out : 5V 1A • Metal case 	2.970.000 T
			
19	PL-AS8000	• RJ45 Port:8*10/100Mbps(Auto MDI/MDIX) • Bandwidth:1.6Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEEE 802.3x • External power adapter : DC Out : 5V 1A • Plastic case 	2.297.000 T
20	PL-SG8000	• RJ45 Port:8*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:16Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEEE 802.3x • External power adapter : DC Out : 5V 1A • Metal case 	4.772.000 T
			
21	PL-S1600	NEW PRODUCT • RJ45 Port:16*10/100Mbps (Auto MDI/MDIX) • Bandwidth:3.2Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEEE 802.3x • AC In: 100V-240V 50HZ • Metal case 	9.268.000 T
22	PL-SG1600	NEW PRODUCT • RJ45 Port:16*10/100/1000Mbps(Auto MDI/MDIX) • Bandwidth:32Gbps Full-Duplex • MAC Address:2K • Distance:0-100Meters • Agreement:IEEE802.3u,IEEE 802.3x • AC In: 100V-240V 50HZ • Metal case 	15.985.000 T
			

Model	Product Specification	Price
23 PL-PS101	- Active PoE Splitter 48V isolation type - Support : IEEE802.3 af - LINK: 100Mbps - POWER OUT :12V 1.2A	 839.000 T
24 PL-PS1202	- Passive POE - Injector & Splitter - Support : 12V - Distance : 30-40 Meter	 512.000 T
25 PL-PS102W	- POE T Multiplexer Splitter - Support : IEEE802.3AT/AF - Wiring Scheme : 12+,36- - Link : 100Mbps - Waterproof	 705.000 T
26 PL-SB456	- Connector type : RJ45 - Cable type : Ethernet - Compatible : Personal Computer devices - Special feature : High Speed - Box : 100 Pcs	 1.465.000 T
27 PL-SO456	- Connector type : RJ45 Open end - Cable type : Ethernet - Compatible : Personal Computer devices - Special feature : High Speed - Box : 100 Pcs	 1.588.000 T
28 PL-7088	- Rj45-Rj11 - Cat5/5E/6/7 - Pass through / Open end - Cutter Blade - Rj45 Perforation	 3.727.000 T اتمام موجودی